CORE MRO PRODUCT INTRODUCTION LOCTITE PC 7319 (CHEM. RESISTANT COATING)

Loctite PC 7319 - Chemical Resistant Coating

- Polyurethane bisphenol-F system for extreme Chemical resistance
- Smooth glossy low friction surface
- 100 % solid epoxy
- Light grey color
- Temp. resistant 120 °C (Dry)
- Ideal for lining tanks and chutes, lining chemical containment areas, pump bases
- High Temp. version available





CORE MRO PRODUCT INTRODUCTION LOCTITE PC 7319 (CHEM. RESISTANT COATING)




CORE MRO PRODUCT INTRODUCTION LOCTITE PC 7319 (CHEM. RESISTANT CHART)






CORE MRO PRODUCT INTRODUCTION LOCTITE PC 7319

PAINTING OR EPOXY WITH SOLVENT VS 100% SOLID EPOXY





Application Case History

LOCTITE PC 7319 – Prilling Tower – Gresik - Indonesia

Projects

- Year 2017 Prilling Tower 1B (1 Unit)
- Year 2018 Prilling Tower 1A (Screening, Cone, Distributor Wall)
- Year 2023 Prilling Tower 1A (Cone)

Solution

 Loctite PC 7319 Chemical Resistant Coating Thickness: 250 micron



- Protect prilling tower structure from chemical exposure and slow down concrete deterioration
- Maintain and extend the service life of the prilling tower











Application Case History

LOCTITE PC 7319 – Prilling Tower – Cikampek - Indonesia

Projects

- Year 2019 Prilling Tower 1B (Demister Wall, Packed Bed Wall)
- Year 2022 Prilling Tower 1B (Free Fall)

Solution

 Loctite PC 7319 Chemical Resistant Coating Thickness: 250 micron

Benefits

- Protect prilling tower structure from chemical exposure and slow down concrete deterioration
- Maintain and extend the service life of the prilling tower





Application Case History

LOCTITE PC 7319 – Prilling Tower – Aceh - Indonesia

Projects

• Year 2018 – Prilling Tower 1A (Cone & Free Fall)

Solution

 Loctite PC 7319 Chemical Resistant Coating Thickness: 250 micron

Benefits

- Protect prilling tower structure from chemical exposure and slow down concrete deterioration
- Maintain and extend the service life of the prilling tower











CORE MRO PRODUCT INTRODUCTION LOCTITE PC 7319 (ACH'S)

- Customer / Country
 - Coal Mining /Indonesia
- Problem / Application
 - Chemical Attack at inner wall of Water Tank Truck
- Solution
 - Loctite PC 7319 + Loctite EA 3478
- Benefits
 - Significant improvement in the life of the asset





